

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
30,800	1795	2720	2985	112,80	114,30	114,70	114,70
30,900	1795	2720	2985	112,86	114,37	114,77	114,77
31,000	1795	2720	2985	112,90	114,42	114,82	114,82
31,100	1795	2720	2985	113,01	114,57	114,98	114,98
31,200	1795	2720	2985	113,08	114,66	115,08	115,08
31,300	1795	2720	2985	113,11	114,70	115,13	115,13
31,400	1795	2720	2985	113,15	114,75	115,17	115,17
31,500	1795	2720	2985	113,19	114,77	115,20	115,20
31,600	1795	2720	2985	113,22	114,79	115,21	115,21
31,700	1795	2720	2985	113,26	114,83	115,25	115,25
31,800	1795	2720	2985	113,30	114,88	115,30	115,30
31,900	1795	2720	2985	113,36	114,92	115,34	115,34
32,000	1795	2720	2985	113,48	115,07	115,48	115,48
32,100	1795	2720	2985	113,58	115,19	115,61	115,61
32,200	1795	2720	2985	113,64	115,26	115,68	115,68
32,300	1795	2720	2985	113,69	115,30	115,73	115,73
32,400	1795	2720	2985	113,74	115,34	115,77	115,77
32,500	1795	2720	2985	113,83	115,45	115,88	115,88
32,600	1795	2720	2985	113,93	115,59	116,02	116,02
32,700	1795	2720	2985	114,03	115,70	116,13	116,13
32,800	1795	2720	2985	114,06	115,72	116,16	116,16
32,900	1795	2720	2985	114,07	115,74	116,17	116,17
33,000	1795	2720	2985	114,11	115,78	116,21	116,21
33,100	1795	2720	2985	114,18	115,86	116,29	116,29
33,200	1795	2720	2985	114,22	115,90	116,34	116,34
33,300	1795	2720	2985	114,27	115,95	116,39	116,39
33,400	1795	2720	2985	114,32	115,98	116,42	116,42
33,500	1795	2720	2985	114,37	116,03	116,46	116,46

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
33,600	1795	2720	2985	114,41	116,08	116,51	116,51
33,700	1795	2720	2985	114,47	116,14	116,57	116,57
33,800	1795	2720	2985	114,54	116,24	116,67	116,67
33,900	1795	2720	2985	114,59	116,28	116,71	116,71
34,000	1795	2720	2985	114,70	116,39	116,82	116,82
34,100	1795	2720	2985	114,82	116,53	116,97	116,97
34,200	1795	2720	2985	114,88	116,59	117,03	117,03
34,300	1795	2720	2985	114,89	116,60	117,04	117,04
34,400	1795	2720	2985	114,93	116,63	117,07	117,07
34,500	1795	2720	2985	114,97	116,68	117,12	117,12
34,600	1795	2720	2985	115,02	116,72	117,16	117,16
34,700	1795	2720	2985	115,06	116,76	117,21	117,21
34,800	1795	2720	2985	115,11	116,80	117,24	117,24
34,900	1795	2720	2985	115,19	116,86	117,29	117,29
35,000	1795	2720	2985	115,20	116,87	117,30	117,30
35,100	1795	2720	2985	115,26	116,94	117,39	117,39
35,100	1795	2720	2985	115,26	116,94	117,39	117,39
35,200	1795	2720	2985	115,30	117,00	117,45	117,45
35,300	1795	2720	2985	115,41	117,10	117,54	117,54
35,400	1795	2720	2985	115,48	117,15	117,59	117,59
35,500	1795	2720	2985	115,53	117,19	117,62	117,62
35,600	1795	2720	2985	115,61	117,31	117,76	117,76
35,700	1795	2720	2985	115,65	117,36	117,80	117,80
35,800	1795	2720	2985	115,68	117,39	117,84	117,84
35,900	1795	2720	2985	115,75	117,45	117,90	117,90
36,000	1795	2720	2985	115,86	117,58	118,03	118,03
36,200	1795	2720	2985	115,97	117,70	118,16	118,16
36,300	1795	2720	2985	116,04	117,80	118,25	118,25

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
36,400	1795	2720	2985	116,08	117,83	118,29	118,29
36,500	1795	2720	2985	116,17	117,92	118,37	118,37
36,600	1795	2720	2985	116,21	117,96	118,42	118,42
36,700	1795	2720	2985	116,25	118,00	118,45	118,45
36,800	1795	2720	2985	116,29	118,04	118,49	118,49
36,900	1795	2720	2985	116,36	118,10	118,55	118,55
37,000	1795	2720	2985	116,44	118,18	118,63	118,63
37,100	1795	2720	2985	116,49	118,22	118,67	118,67
37,200	1795	2720	2985	116,54	118,28	118,72	118,77
37,300	1795	2720	2985	116,59	118,33	118,77	118,87
37,400	1795	2720	2985	116,65	118,40	118,85	119,00
37,500	1795	2720	2985	116,75	118,51	118,97	119,17
37,600	1795	2720	2985	116,82	118,63	119,09	119,29
37,700	1795	2720	2985	116,92	118,73	119,20	119,40
37,800	1795	2720	2985	116,99	118,82	119,28	119,48
37,900	1795	2720	2985	117,02	118,84	119,31	119,51
38,000	1795	2720	2985	117,06	118,87	119,34	119,54
38,100	1795	2720	2985	117,09	118,90	119,36	119,51
38,200	1795	2720	2985	117,12	118,93	119,39	119,49
38,300	1795	2720	2985	117,15	118,96	119,43	119,48
38,400	1795	2720	2985	117,19	119,00	119,47	119,52
38,500	1795	2720	2985	117,22	119,03	119,50	119,55
38,600	1795	2720	2985	117,27	119,08	119,54	119,59
38,700	1795	2720	2985	117,30	119,12	119,58	119,63
38,800	1795	2720	2985	117,35	119,16	119,62	119,67
38,900	1795	2720	2985	117,42	119,22	119,68	119,73
39,000	1795	2720	2985	117,43	119,24	119,70	119,70
39,100	1795	2720	2985	117,42	119,22	119,67	119,67

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
39,200	1795	2720	2985	117,47	119,26	119,72	119,72
39,230	1750	2680	2950	117,50	119,20	119,65	119,65
39,300	1750	2680	2950	117,54	119,24	119,69	119,69
39,400	1750	2680	2950	117,59	119,29	119,74	119,74
39,500	1750	2680	2950	117,68	119,39	119,85	119,85
39,600	1750	2680	2950	117,73	119,44	119,89	119,89
39,700	1750	2680	2950	117,77	119,47	119,92	119,92
39,800	1750	2680	2950	117,85	119,54	119,99	119,99
39,900	1750	2680	2950	117,91	119,63	120,08	120,08
40,000	1750	2680	2950	117,95	119,66	120,11	120,11
40,100	1750	2680	2950	117,99	119,71	120,16	120,16
40,200	1750	2680	2950	118,01	119,72	120,17	120,17
40,300	1750	2680	2950	118,04	119,74	120,19	120,19
40,400	1750	2680	2950	118,16	119,88	120,33	120,33
40,500	1750	2680	2950	118,24	119,94	120,39	120,39
40,600	1750	2680	2950	118,28	119,99	120,44	120,44
40,700	1750	2680	2950	118,37	120,04	120,48	120,48
40,800	1750	2680	2950	118,45	120,15	120,59	120,59
40,900	1750	2680	2950	118,49	120,21	120,66	120,66
41,000	1750	2680	2950	118,53	120,25	120,70	120,70
41,100	1750	2680	2950	118,54	120,27	120,72	120,72
41,200	1750	2680	2950	118,57	120,31	120,77	120,77
41,300	1750	2680	2950	118,60	120,34	120,80	120,80
41,400	1750	2680	2950	118,64	120,39	120,84	120,84
41,500	1750	2680	2950	118,66	120,40	120,86	120,86
41,600	1750	2680	2950	118,68	120,42	120,88	120,88
41,700	1750	2680	2950	118,71	120,46	120,91	120,91
41,800	1750	2680	2950	118,73	120,48	120,93	120,93

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
41,900	1750	2680	2950	118,75	120,50	120,95	120,95
42,000	1750	2680	2950	118,78	120,53	120,98	120,98
42,100	1750	2680	2950	118,80	120,54	120,99	120,99
42,200	1750	2680	2950	118,82	120,57	121,02	121,02
42,300	1750	2680	2950	118,84	120,59	121,04	121,04
42,400	1750	2680	2950	118,86	120,61	121,07	121,07
42,500	1750	2680	2950	118,90	120,66	121,11	121,11
42,600	1750	2680	2950	118,94	120,70	121,14	121,14
42,700	1750	2680	2950	118,98	120,75	121,20	121,20
42,800	1750	2680	2950	119,08	120,85	121,31	121,31
42,900	1750	2680	2950	119,11	120,89	121,35	121,35
43,000	1750	2680	2950	119,14	120,91	121,37	121,37
43,100	1750	2680	2950	119,17	120,94	121,39	121,39
43,200	1750	2680	2950	119,21	120,95	121,41	121,41
43,300	1750	2680	2950	119,21	120,94	121,40	121,40
43,400	1750	2680	2950	119,21	120,96	121,41	121,41
43,500	1750	2680	2950	119,28	121,04	121,49	121,49
43,600	1750	2680	2950	119,35	121,11	121,56	121,56
43,700	1750	2680	2950	119,38	121,13	121,57	121,57
43,800	1750	2680	2950	119,43	121,20	121,65	121,65
43,900	1750	2680	2950	119,45	121,22	121,67	121,67
44,000	1750	2680	2950	119,47	121,24	121,69	121,69
44,100	1750	2680	2950	119,50	121,28	121,73	121,73
44,200	1750	2680	2950	119,54	121,33	121,79	121,79
44,300	1750	2680	2950	119,57	121,36	121,82	121,82
44,400	1750	2680	2950	119,62	121,41	121,86	121,86
44,500	1750	2680	2950	119,67	121,46	121,91	121,91
44,600	1750	2680	2950	119,71	121,49	121,94	121,94

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
44,700	1750	2680	2950	119,77	121,57	122,03	122,03
44,800	1750	2680	2950	119,83	121,64	122,09	122,09
44,900	1750	2680	2950	119,88	121,68	122,13	122,13
45,000	1750	2680	2950	119,91	121,71	122,17	122,17
45,100	1750	2680	2950	119,94	121,74	122,19	122,19
45,200	1750	2680	2950	119,99	121,79	122,25	122,25
45,300	1750	2680	2950	120,05	121,88	122,34	122,34
45,400	1750	2680	2950	120,11	121,94	122,40	122,40
45,500	1750	2680	2950	120,25	122,06	122,52	122,52
45,600	1750	2680	2950	120,37	122,17	122,62	122,62
45,700	1750	2680	2950	120,47	122,26	122,71	122,71
45,800	1750	2680	2950	120,56	122,33	122,78	122,78
45,900	1750	2680	2950	120,67	122,41	122,85	122,85
46,000	1750	2680	2950	120,77	122,52	122,97	122,97
46,100	1750	2680	2950	120,83	122,57	123,01	123,01
46,200	1750	2680	2950	120,89	122,62	123,07	123,07
46,300	1750	2680	2950	120,96	122,69	123,13	123,13
46,400	1750	2680	2950	121,03	122,77	123,22	123,22
46,500	1750	2680	2950	121,05	122,78	123,23	123,23
46,600	1750	2680	2950	121,10	122,88	123,34	123,34
46,700	1750	2680	2950	121,13	122,93	123,39	123,39
46,800	1750	2680	2950	121,16	122,96	123,41	123,41
46,900	1750	2680	2950	121,22	123,01	123,47	123,47
47,000	1750	2680	2950	121,24	123,04	123,50	123,55
47,100	1750	2680	2950	121,31	123,11	123,57	123,67
47,200	1750	2680	2950	121,35	123,15	123,61	123,76
47,300	1750	2680	2950	121,39	123,16	123,62	123,82
47,400	1750	2680	2950	121,40	123,18	123,63	123,88

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
47,500	1750	2680	2950	121,39	123,17	123,62	123,92
47,600	1750	2680	2950	121,47	123,26	123,72	124,02
47,650	1730	2670	2930	121,47	123,27	123,73	123,73
47,700	1730	2670	2930	121,90	123,50	123,90	124,20
47,800	1730	2670	2930	121,88	123,48	123,88	124,18
47,900	1730	2670	2930	121,92	123,51	123,92	124,22
48,000	1730	2670	2930	122,09	123,70	124,11	124,41
48,100	1730	2670	2930	122,18	123,81	124,20	124,50
48,200	1730	2670	2930	122,21	123,84	124,23	124,53
48,300	1730	2670	2930	122,26	123,90	124,30	124,60
48,400	1730	2670	2930	122,33	123,97	124,37	124,67
48,500	1730	2670	2930	122,39	124,03	124,43	124,73
48,600	1730	2670	2930	122,46	124,14	124,55	124,85
48,700	1730	2670	2930	122,55	124,24	124,65	124,95
48,800	1730	2670	2930	122,59	124,28	124,69	124,99
48,900	1730	2670	2930	122,61	124,30	124,71	125,01
49,000	1730	2670	2930	122,80	124,58	125,01	125,31
49,100	1730	2670	2930	122,86	124,67	125,11	125,41
49,200	1730	2670	2930	122,87	124,68	125,12	125,42
49,300	1730	2670	2930	122,89	124,69	125,12	125,32
49,400	1730	2670	2930	122,92	124,71	125,20	125,25
49,500	1730	2670	2930	122,95	124,76	125,30	125,25
49,600	1730	2670	2930	123,01	124,84	125,38	125,28
49,700	1730	2670	2930	123,09	124,95	125,50	125,40
49,800	1730	2670	2930	123,12	124,98	125,53	125,43
49,900	1730	2670	2930	123,17	125,02	125,47	125,47
50,000	1730	2670	2930	123,20	125,06	125,51	125,51
50,100	1730	2670	2930	123,26	125,12	125,58	125,58

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
50,200	1730	2670	2930	123,35	125,23	125,69	125,69
50,300	1730	2670	2930	123,37	125,26	125,71	125,71
50,400	1730	2670	2930	123,40	125,28	125,74	125,74
50,500	1730	2670	2930	123,45	125,32	125,78	125,78
50,600	1730	2670	2930	123,53	125,41	125,86	125,86
50,700	1730	2670	2930	123,57	125,46	125,91	125,91
50,800	1730	2670	2930	123,64	125,51	125,97	125,97
50,900	1730	2670	2930	123,71	125,58	126,04	126,04
51,000	1730	2670	2930	123,75	125,62	126,07	126,07
51,100	1730	2670	2930	123,77	125,62	126,07	126,07
51,200	1730	2670	2930	123,81	125,65	126,10	126,10
51,300	1730	2670	2930	123,85	125,69	126,13	126,13
51,400	1730	2670	2930	123,87	125,71	126,15	126,15
51,500	1730	2670	2930	123,93	125,75	126,20	126,20
51,600	1730	2670	2930	123,95	125,77	126,22	126,22
51,700	1730	2670	2930	124,04	125,87	126,32	126,32
51,800	1730	2670	2930	124,07	125,91	126,35	126,35
51,900	1730	2670	2930	124,21	126,07	126,51	126,51
52,000	1730	2670	2930	124,27	126,12	126,57	126,57
52,100	1730	2670	2930	124,29	126,15	126,60	126,60
52,200	1730	2670	2930	124,30	126,16	126,61	126,66
52,300	1730	2670	2930	124,32	126,17	126,61	126,71
52,400	1730	2670	2930	124,35	126,21	126,66	126,81
52,500	1730	2670	2930	124,38	126,26	126,72	126,87
52,600	1730	2670	2930	124,50	126,40	126,85	127,00
52,700	1730	2670	2930	124,53	126,43	126,89	127,04
52,800	1730	2670	2930	124,55	126,46	126,92	127,07
52,900	1730	2670	2930	124,57	126,48	126,93	127,08



Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
53,000	1730	2670	2930	124,63	126,55	127,01	127,16
53,100	1730	2670	2930	124,66	126,57	127,03	127,13
53,200	1730	2670	2930	124,69	126,59	127,05	127,10
53,300	1730	2670	2930	124,71	126,62	127,08	127,08
53,400	1730	2670	2930	124,76	126,66	127,11	127,11
53,500	1730	2670	2930	124,80	126,70	127,15	127,15
53,600	1730	2670	2930	124,83	126,73	127,19	127,19
53,700	1730	2670	2930	124,87	126,77	127,23	127,23
53,800	1730	2670	2930	124,92	126,80	127,26	127,26
53,900	1730	2670	2930	124,95	126,85	127,30	127,30
54,000	1730	2670	2930	124,98	126,87	127,32	127,32
54,100	1730	2670	2930	125,00	126,90	127,36	127,36
54,200	1730	2670	2930	125,01	126,90	127,36	127,36
54,300	1730	2670	2930	125,06	126,96	127,43	127,43
54,400	1730	2670	2930	125,13	127,05	127,51	127,51
54,500	1730	2670	2930	125,22	127,15	127,61	127,61
54,600	1730	2670	2930	125,34	127,26	127,72	127,72
54,700	1730	2670	2930	125,43	127,35	127,82	127,82
54,800	1730	2670	2930	125,46	127,38	127,84	127,84
54,900	1730	2670	2930	125,51	127,43	127,89	127,89
55,000	1730	2670	2930	125,55	127,47	127,93	127,93
55,100	1730	2670	2930	125,58	127,50	127,96	127,96
55,200	1730	2670	2930	125,62	127,54	128,01	128,01
55,300	1730	2670	2930	125,66	127,57	128,04	128,04
55,400	1730	2670	2930	125,71	127,63	128,09	128,09
55,500	1730	2670	2930	125,75	127,67	128,13	128,13
55,600	1730	2670	2930	125,78	127,72	128,19	128,19
55,700	1730	2670	2930	125,82	127,76	128,23	128,23

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
55,800	1730	2670	2930	125,86	127,79	128,26	128,26
55,900	1730	2670	2930	125,92	127,86	128,33	128,33
56,000	1730	2670	2930	125,95	127,89	128,36	128,36
56,100	1730	2670	2930	125,97	127,91	128,38	128,38
56,200	1730	2670	2930	126,02	127,94	128,40	128,40
56,300	1730	2670	2930	126,06	127,97	128,44	128,44
56,400	1730	2670	2930	126,10	128,03	128,50	128,50
56,500	1730	2670	2930	126,14	128,07	128,54	128,54
56,600	1730	2670	2930	126,20	128,13	128,59	128,59
56,700	1730	2670	2930	126,30	128,21	128,68	128,68
56,800	1730	2670	2930	126,36	128,27	128,74	128,74
56,900	1730	2645	2910	126,40	128,31	128,78	128,78
57,000	1730	2645	2910	126,43	128,36	128,82	128,82
57,100	1730	2645	2910	126,48	128,39	128,85	128,85
57,200	1730	2645	2910	126,54	128,43	128,89	128,89
57,300	1730	2645	2910	126,58	128,45	128,91	128,91
57,400	1730	2645	2910	126,62	128,51	128,97	128,97
57,500	1730	2645	2910	126,67	128,55	129,00	129,00
57,600	1730	2645	2910	126,72	128,59	129,05	129,05
57,700	1730	2645	2910	126,77	128,64	129,10	129,10
57,800	1730	2645	2910	126,81	128,68	129,14	129,14
57,900	1730	2645	2910	126,85	128,72	129,17	129,17
58,000	1730	2645	2910	126,88	128,76	129,22	129,22
58,100	1730	2645	2910	126,90	128,78	129,24	129,24
58,200	1730	2645	2910	126,96	128,82	129,28	129,28
58,300	1730	2645	2910	126,98	128,84	129,30	129,30
58,400	1730	2645	2910	127,01	128,87	129,32	129,32
58,500	1730	2645	2910	127,04	128,90	129,35	129,35

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
58,600	1730	2645	2910	127,08	128,94	129,39	129,39
58,700	1730	2645	2910	127,12	128,98	129,44	129,44
58,800	1730	2645	2910	127,14	129,00	129,46	129,46
58,900	1730	2645	2910	127,16	129,02	129,48	129,48
59,000	1730	2645	2910	127,18	129,05	129,51	129,51
59,100	1730	2645	2910	127,21	129,08	129,54	129,54
59,200	1730	2645	2910	127,24	129,11	129,57	129,57
59,300	1730	2645	2910	127,32	129,21	129,67	129,67
59,400	1730	2645	2910	127,36	129,26	129,72	129,72
59,500	1730	2645	2910	127,39	129,29	129,75	129,75
59,600	1730	2645	2910	127,40	129,29	129,76	129,76
59,700	1730	2645	2910	127,41	129,31	129,77	129,77
59,800	1730	2645	2910	127,44	129,36	129,83	129,83
59,900	1730	2645	2910	127,56	129,47	129,94	129,94
60,000	1730	2645	2910	127,65	129,58	130,06	130,06
60,100	1730	2645	2910	127,68	129,63	130,10	130,10
60,200	1730	2645	2910	127,72	129,66	130,14	130,14
60,300	1730	2645	2910	127,74	129,68	130,16	130,16
60,400	1730	2645	2910	127,76	129,70	130,18	130,18
60,500	1730	2645	2910	127,79	129,72	130,19	130,19
60,600	1730	2645	2910	127,81	129,75	130,22	130,22
60,700	1730	2645	2910	127,85	129,77	130,25	130,25
60,800	1730	2645	2910	127,87	129,79	130,27	130,27
60,900	1730	2645	2910	127,93	129,86	130,33	130,33
61,000	1730	2645	2910	127,99	129,92	130,39	130,39
61,100	1730	2645	2910	128,05	129,98	130,45	130,45
61,200	1730	2645	2910	128,04	129,97	130,44	130,44
61,300	1730	2645	2910	128,08	130,01	130,48	130,48

Hydraulische Kennwerte des Neckar							
Station [km]	Abflüsse Q [m³/s]			Wasserstände [müNN]			
	HQ <sub>10</sub>	HQ <sub>100</sub>	HQ <sub>200</sub>	WHQ <sub>10</sub>	WHQ <sub>100</sub>	HQ200 L	HQ200 R
61,340	1730	2645	2910	128,09	130,01	130,48	130,48